Dear Water Consumer,

Each spring, the Harrisonburg Public Utilities Department provides our customers with a report on water quality for the prior year. I encourage you to read this report to discover where your water comes from, how your water and sewer rates compare to similar water systems, and the results from the water testing conducted on our water system between January and December 2022.

Water is treated continuously at the water treatment plant in order to achieve our constant goal of providing you with a safe and dependable supply of drinking water. Raw water goes through an extensive treatment and filtration process to remove harmful bacteria and other contaminants. A small amount of chlorine is added as a disinfection measure and fluoride is added to help prevent tooth decay.

I am proud to tell you about the latest award our treatment plant received from the Virginia Department of Health's Office of Drinking Water; the Silver Award for Excellence in Filtration and Backwash. This and previous awards can be attributed to our treatment plant operator's knowledge, commitment, and performance in always striving to meet the highest standards of water quality in the treatment processes and through the distribution system.

If you have any questions about this report or would like more information about your drinking water, please give me a call. I'd be happy to hear from you.

> David Gray | Engineering Manager dave.gray@harrisonburgva.gov 540-434-9959

Water Quality Report

CITY OF HARRISONBURG

PUBLIC

UTILITIES

Reporting Year 2022 PWS ID# 2660345

Water System Facts

Population served Treatment capacity (MGD)	54,606 13.1
Miles of sewer mains	186
Miles of water mains	293
Water distribution stations	12
Sewer pump stations	6
Storage tanks	12
Automated valve vaults	15
SCADA units	36
Water quality tests	1,326
Fire hydrants	1,937
Valves	4,432
Manholes	5,383
Water meters	16,403

Where Your Water Comes From

The City of Harrisonburg has two reliable water supply sources. The Dry River in Rawley Springs is a surface water source. The watershed includes the Switzer Reservoir Impoundment and delivers the highest quality water at the most cost-effective price. The North River in Bridgewater is also a surface water source. Approximately 50% of Harrisonburg's water comes from each source. Because of our commitment to long term economic sustainability and environmental stewardship, we are in the process of developing a supply line from the South Fork Shenandoah River. Once this project has been completed, we expect to provide a supply of 15 million gallons per day to our customers.

Sampling Results

Contaminants detected January 2022-December 2022 During the past year, we have taken hundreds of water samples in order to determine the presence of any radioactive, biological, inorganic, volatile organic, or synthetic organic contaminants. The table below shows only those contaminants that were detected in the water. The state requires us to monitor for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

Regulated Substances								
Substance (Unit of Measure)	Year Sampled	MCL [MRDL]	MCLG [MRDLG]	Amount Detected	Range Low-High	Violation	Typical Source	
Barium (ppm)	2022	2	2	0.027	NA	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits	
Sodium (ppm)	2022	NA	NA	7.34	ND-0.75	No	Erosion of natural deposits; de-icing salt runoff; water softeners	
Haloacetic Acids [HAA5] (ppb)	2022	60	NA	18.5	2-36	No	By-product of drinking water disinfection	
Nitrate (ppm)	2022	10	10	0.81	NA	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits	
TTHMs [Total Trihalomethanes] (ppb)	2022	80	NA	35.6	10-75	No	By-product of drinking water disinfection	
Total Coliform Bacteria (% positive samples) ³	2022	5% of monthly samples are positive	0	3 positive sample in 2022 (<1%)	NA	No	Naturally present in the environment	
Fluoride (mg/l)	2022	4	4	0.63	0.56-0.71	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from aluminum and fertilizer factories	
Total Organic Carbon (mg/L)	2022	TT	NA	NA	ND-0.95	No	Naturally present in the environment	
Turbidity ¹ (NTU)	2022	TT	NA	NA	0.01-0.26	No	Soil Runoff	
Turbidity (Lowest monthly percent of samples meeting limit)	2022	<0.3 NTU	NA	100%	NA	No	Soil Runoff	
Radiological								
Beta Emitters (mrem/yr)	2022	4	0	<0.51	NA	No	Decay of natural and man-made deposits	
Alpha Emitters (pCi/l)	2022	15	0	< 0.36	NA	No	Erosion of natural deposits	
Combined Radium (pCi/l)	2022	5	0	< 0.47	NA	No	Erosion of natural deposits	
Lead and Copper Sampling								
Substance (Unit of Measure)	Year Sampled	AL	MCLG	Amount Detected (90th %tile)	Sites Above AL/ Total Sites	Violation	Typical Source	
Copper ² (mg/l)	2022	1.3	1.3	< 0.02	0/30	No	Corrosion of household plumbing systems; Erosion of natural deposits	
Lead ² (ppb)	2022	15	0	< 2.0	0/30	No	Corrosion of household plumbing systems; Erosion of natural deposits	

¹Turbidity is a measure of the cloudiness of the water. It is monitored because it is a good indicator of the effectiveness of the filtration system.

² Tap water samples were collected for lead and copper analyses from sample sites throughout the community.

³ The reported amount detected is the average of all samples in the current year.



DEFINITIONS

AL (Action Level): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MGD: Million Gallons per Day.

MRDL (Maximum Residual Disinfection Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfection Level Goal): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable

ND (Not Detected): Indicates that the substance was not found by laboratory analysis.

NTU (Nephelometric Turbidity Unit): Measure of water clarity. Turbidity in excess of five NTUs is barely noticeable to the average person.

Ppb (parts per billion): One part substance per billion parts water (or micrograms per liter).

Ppm (parts per million) or mg/l (milligrams per liter): One part substance per million parts water or milligrams per liter.

TT (Treatment Technique): A required process intended to reduce the level of a contaminant in drinking water.



Substances that could be in Water

To ensure that tap water is safe to drink, the U.S. Microbial Contaminants, such as viruses and EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, in some cases, radioactive material, and



substances resulting from the presence of animals or from human activity. Substances that may be present in source water include the following.

bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife. Inorganic Contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming. Pesticides & Herbicides, which may come from a variety of sources, such as agriculture, urban storm water runoff and residential uses. Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and may also come from gas stations, urban storm water runoff and septic systems. Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.

For more information about contaminants and potential health effects, call the U.S.EPA's Safe Drinking Water Hotline at (800) 426-4791.

Health Information for Special Populations

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/Aids or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800) 426-4791 or at http://water.epa.gov/drink/ hotline.

Lead in Home Plumbing

If present, elevated levels of lead can cause seri- the potential for lead exposure by flushing your ous health problems, especially for pregnant tap for 15 to 30 seconds or until it becomes cold women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Harrisonburg Public Utilities Department assists by controlling pH and alkalinity in its high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize

or reaches a steady temperature before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at

http://www.epa.gov/safewater/lead.

It is our mission to provide


- reliable delivery of safe potable water that meets the Water Works Regulations, Virginia Administrative Code, Chapter 590,
- a quantity of water that will enhance fire suppression as determined according to ISO rating, and
- the conveyance of sanitary sewer service to our citizens in accordance to Sewage Collection and Treatment Regulations, Virginia Administrative Code, Chapter 790.



Do I Have Hard or Soft Water?

Water is soft when it falls as rain. It readily dissolves minerals as it travels through rock and soil. The treatment process removes some of the mineral content and impurities, but calcium and magnesium will generally not be removed. These minerals are not harmful to your health. See the chart for the measurement ranges used by the U.S. Geological Survey to classify hard and soft water.

In 2022, our water was between 15 and 105 mg/l (milligrams per liter).



Hardness Levels			
Classification	Measured in mg/L		
Soft	0- 60		
Moderately Hard	61-120		
Hard	121-80		
Very Hard	≥ 181		

pH Examples			
Substances	Level		
Apple Juice	3.0		
Orange Juice	3.5		
Coffee	5.5		
Milk	6.2		
Baking Soda	8.5		
Soapy Water	10.0		

C O M M I T T E D TO WATER QUALITY

pH is measured on a scale of 0 to 14. Water with values lower than 6 are acidic and can have taste problems such as a metallic or sour. Water with values greater than 8.5 is less corrosive to metal piping but efficiency with chlorine disinfection decreases.

While the ideal pH level of drinking water should be between 6-8.5, the human body maintains pH equilibrium on a constant basis and will not be affected by water consumption. For example our stomachs have a naturally low pH level of 2, which is a beneficial acidity that helps us with food digestion.

In 2022, our pH levels were between 6.3 and 9.0.

MARKET ANALYSIS OF WATER AND SEWER RATES AMONG WATER SYSTEMS OF 10,000-30,000 RESIDENTIAL WATER UNITS 5.000 GALLONS WATER AND SEWER CONSUMPTION

0,000 0/ 1220110 1				
UTILITY PROVIDER	RESIDENTIAL WATER UNITS	WATER \$/5000 GAL	SEWER \$/5000 GAL	W & S RATE \$/5000 GAL
Rockingham County	13,750	\$ 19.30	\$ 28.60	\$ 47.90
Harrisonburg , City of	18,923	\$ 18.95	\$ 29.45	\$ 48.40
Danville, City of	17,500	\$ 26.92	\$ 29.95	\$ 56.87
Lynchburg, City of	21,500	\$ 21.69	\$ 52.78	\$ 74.47
Hanover County	21,083	\$ 25.57	\$ 49.55	\$ 75.12
Campbell Co. Utility & Service Auth.	11,105	\$ 39.11	\$ 38.79	\$ 77.90
Virginia Control Group Average		\$ 36.87	\$ 49.31	\$ 86.18
Manassas, City of	10,200	\$ 27.07	\$ 59.25	\$ 86.32
James City Service Authority	22,668	\$ 28.16	\$ 64.14	\$ 92.30
Augusta Co. Service Authority	15,500	\$ 38.77	\$ 64.32	\$ 103.09
Christiansburg, Town of	10,111	\$ 53.00	\$ 51.00	\$ 104.00
Bedford Regional Water Authority	12,849	\$ 55.00	\$ 65.00	\$ 120.00

Virginia Control Group: For over 20 years, Draper Aden Associates has tracked a select group compromised of twenty water and wastewater providers who represent a cross section of utilities across the Commonwealth. Courtesy of Draper Aden Associates 2022 Study

Source Water Assessment

A Source Water Assessment for the City of Harrisonburg was completed by the Virginia Department of Health on March 2, 2018. This assessment determined that the city's water sources, North River and Dry River, are surface waters exposed to a wide array of changing hydrologic, hydraulic, and atmospheric conditions. More specific information may be obtained by contacting the Harrisonburg Department of Public Utilities at **(540) 434-9959**.



2155 BEERY ROAD HARRISONBURG,VA 22801 (540) 434-9959 waterservice@harrisonburgva.gov